

STOBIGYM EN 7.2.1

Punctual Deformation Indoor System

Support Non porous concrete/asphalt



	Product	Quantity kg/m ²
Glue	Stobielast® S 113.03 (2 components)	1.00 kg
Base mat 7.0 mm	Prefabricated foam mat (Ref : Z3713)	
Pore sealer	Stobielast® S 129.36 (2 components)	0.40 kg
Self-levelling 2.0 mm	Stobielast® S 147.[..] (2 components)	2.60 kg
Top coat	Stobielast® S 165.[..] (2 components)	0.16 kg
Line marking	Stobielast® S 166.[..] (2 components)	ml/kg acc. game

[..] = the last two digits of our product codes mark the individual colour of our system.

Total thickness 9 mm


Application Multisport qualification Sport-halls as:
- Team & individual sports

Agreement European Standard: EN14904*
Euroclasses : EN 13501-1**

[*] : Sport halls European specifications - Indoor surfaces for multi-sports use

[**] : European classification of fire performance characteristics for building products

Standard EN14904	P1 Class
Euroclasses LNE	Dfl S1



Issue November 2014